

# **Spectra® Chain Link**



## Spectra® Color Chain Link... made to perform



### Our Spectra® Fencing System


Premium quality frame and fabric is guaranteed for 15 years.



### Features and Benefits:

- Zinc-coated steel framework is thoroughly cleaned during the pre-treatment process, then color coated with a 3 mil minimum polyester layer for protection from corrosion.
- All galvanized wire has a 15 mil minimum extruded polyvinyl chloride coating for dual protection from corrosion and the elements.
- Fittings are made of galvanized steel with a 3 mil minimum of polymer layer for protection from corrosion.





14 gauge core

# Spectra® Color Chain Link Recommendations

#### **FABRIC**

Spectra® polyvinyl chloride extruded over zinc-coated steel core wire.

1	Type 2 Residential
Fabric Gauge	9 gauge and 11 gauge finish
Fabric Mesh	1-1/4", 1-1/2", 1-3/4", and 2"
Fabric Height	3', 42", 4', 5', and 6'
Fabric Selvage	Knuckle - Knuckle (KK) for 5' and Under. Knuckle - Knuckle (KK) or Knuckle - Twist (KT) for 6'.

### **Type 2 Commercial**

6 gauge, 8 gauge, and 9 gauge finish 6 gauge is not available for 3/8" mesh or 1/2" mesh 3/8", 1/2", 5/8", 1", 1-1/4", 1-1/2", 1-3/4", and 2" 3', 42", 4', 5', 6', 7', 8', 9', 10', and 12'

Knuckle - Knuckle (KK) for 5' and under; for mesh sizes 1" and smaller. Knuckle - Knuckle (KK) or Knuckle - Twist (KT) for 6' and over.

### FRAMEWORK - TYPE

Spectra® polyester resin, 3 mils minimum, over galvanized steel ASTM F 1043, Group 1C, with a minimum yield strength of 50,000 PSI. Protective coating per ASTM 1043, external coating Type B, zinc with organic overcoat, 0.9 ounces per square foot minimum zinc coating with chromate conversion coating and verifiable polymer film.

Top Rail	1-3/8" O.D. Spectra® 17 Gauge or 16 Gauge
10p man	1 3/0 0.5. speema 1/ dauge of 10 dauge

1-5/8" O.D. Spectra® 17 Gauge or 16 Gauge

1-5/8" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe

1-7/8" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe 2-3/8" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe

**Terminal Posts** 1-7/8" O.D. Spectra® 16 Gauge 2-3/8" O.D. Spectra® 16 Gauge

2-3/8" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe 2-7/8" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe 4" O.D. Spectra® Deluxe Quality (DQ) or Spectra® Full Weight Pipe

### Gates

Line Posts

Fabric	Same Gauge and Mesh as Chain Link Selected
Frame	Same as Top Rail Selected

### **Fittings**

Tension and Brace Bands	Polymer Coating, 3 Mils Minimum, Over Hot-Dipped Galvanized Pressed Steel
Caps, Eye Tops, Rail Ends	Polymer Coating, 3 Mils Minimum, Over Hot-Dipped Galvanized Pressed Steel or Aluminum
Sleeves	Polymer Coating, 3 Mils Minimum, Over Hot-Dipped Galvanized Steel
Tie Wires	Polymer Coating, 3 Mils Minimum, Over Zinc-Coated Steel Wire

### Slats - Privac

Material Composition	Polyethylene Thermoplastic
Colors	Green, Black, Brown, Gray, Redwood, Blue, Desert Sand



### MasterHalco.com | 888-MH-Fence

Branch service centers are located throughout North America.

MH Digital @9/18



### Available from:

1		
1		
1		
1		
1		